

Dear Student,

The Student Health Services staff welcomes you to the University, and we offer our support in any way possible during your study at Fairleigh Dickinson University.

As all institutions of Higher Education have an obligation to ensure the public health of its students, we collect and review medical and immunization records for all matriculated FDU students. Your health care provider will need to complete the *Immunization Record* and *Physical Exam* forms included in the attached packet. The student is responsible to complete the *Student Profile*, *Medical History* and *Meningitis Response* forms.

DEPENDING ON WHAT TYPE OF STUDENT YOU ARE (RESIDENT, COMMUTER, NURSING, OFF-SITE), THERE ARE DIFFERENT REQUIREMENTS. PLEASE COMPLETE AND SUBMIT THE APPROPRIATE FORMS.

OFF-SITE STUDENTS: Students who are taking classes at an off-site location; <https://www.fdu.edu/campuses/off-campus-sites/> only need to submit the *Off-Site Student Immunization Record*. If you are taking classes on the Metropolitan or Florham Campus and are *not* *dorming* in the Residence Halls do you classify as an Off-Site student. Instead, you must submit the **COMMUTER** packet of forms.

Please understand that you will not be permitted to register for class until the health forms and immunization records are completed and received.

Required Medical Entrance Forms due:

- **Fall Semester: July 15th**
- **Spring Semester: December 15th**
- **Summer Semester: March 15th**

Medical records are an entrance requirement for all incoming students. Required entrance forms are available on our website: www.fdu.edu/shsmetro. Please **MAIL** your completed forms to the address listed on the top of this page.

Medical records are strictly confidential and are not part of the academic records. Medical records are used exclusively by Student Health Services Metro to provide personalized care. Any information on these records or concerning a visit to Student Health Services Metro will not be released without written permission from the individual treated. Immunization records are an exception and are not confidential since your immunization status must be made available to New Jersey State Inspectors and select University offices in order to comply with New Jersey State Law. We strongly recommend that you keep a copy of your immunization records.



Student Profile

CONFIDENTIAL

v.4.17.2020

Information used solely to provide necessary health care.

STUDENT PROFILE (To be completed by the student in ink)

Name: _____ Male ☐ Female ☐
Last First Middle

Student ID: _____ Date of Birth: _____
m m d d y y y y

Date entering FDU: _____ Citizenship: _____
m m y y y y

Admission Status: Undergraduate ☐ Graduate ☐ International ☐ Transfer ☐ Nursing ☐ Athlete ☐

Mailing Address: _____
Street Address City State Zip Code

Home Phone: () _____ Cell Phone: () _____ E-Mail: _____

Father's/ Legal Guardian's Name: _____ Phone: () _____

Mother's/ Legal Guardian's Name: _____ Phone: () _____

Where do you plan to live? Resident (Dorm) ☐ Commuter ☐ (If commuter, provide the address where you will reside)

Address: _____ Phone: () _____
Street Address City State Zip Code cell

PERSON TO CONTACT IN CASE OF EMERGENCY

Name: _____ Relationship: _____

Address: _____
Street Address City State Zip Code

Home Phone: () _____ Work Phone: () _____ Cell Phone: () _____

AUTHORIZATIONS

Permission for medical care:

I authorize Fairleigh Dickinson University Student Health Services to provide medical services. Yes ☐ No ☐

To notify the above listed emergency contact, as deemed appropriate. Yes ☐ No ☐

Permission for use of e-mail address:

To communicate with me through the above listed e-mail address to use my e-mail address. Yes ☐ No ☐
 (the University will never communicate health information through e-mail and we strongly recommend that you don't either)

Student Signature: _____ Date: _____

If student is under 18 years of age:

Parent/Guardian Signature: _____ Relationship: _____ Date: _____

Records are due by: July 15th for Fall semester, December 15th for Spring, March 15th for Summer



CONFIDENTIAL

To be completed by the student.

Florham Campus

Student Signature: _____ Date: _____



Florham Campus

Physical Examination

v. 4.17.2020

CONFIDENTIAL

TO BE COMPLETED BY A HEALTH CARE PROVIDER

Signature of Medical Provider: _____ Date: _____	License Number OR Official Stamp of Medical Provider
Medical Provider: _____ Phone: () _____	
Address: _____	



All Nursing Students Immunization Record

v.4.17.2020

NOT CONFIDENTIAL

Immunization records are not confidential as required by law.

Name: _____ Female ☐ Male ☐
Last First Middle

Student ID#: _____ Date of Birth: m d y y y ☐ UNDERGRAD
☐ MSN/APN

TO BE COMPLETED AND SIGNED BY A HEALTH CARE PROVIDER, GIVE MONTH, DAY & YEAR

If convenient, you may attach an official copy of your immunization records, which must include all previous and recent shots.

1. REQUIRED IMMUNIZATIONS (LABORATORY REPORT MUST BE SUBMITTED FOR ALL BLOOD TITERS)

MMR	#1 _____	#2 _____	AND	MMR Titers
NOTE: MEASLES HAS TO BE LIVE, AFTER 1ST BIRTHDAY				
Measles	#1 _____	#2 _____	Date _____	Immune <input type="checkbox"/> Non-immune <input type="checkbox"/>
Mumps	#1 _____	#2 _____	Date _____	Immune <input type="checkbox"/> Non-immune <input type="checkbox"/>
Rubella	#1 _____	#2 _____	Date _____	Immune <input type="checkbox"/> Non-immune <input type="checkbox"/>

Varicella (Chicken Pox)	Disease Date: _____	AND	Varicella Titers
OR Vaccine #1 _____	#2 _____	Date _____	Immune <input type="checkbox"/> Non-immune <input type="checkbox"/>

Hepatitis B	#1 _____	AND	Hepatitis B Titers
	#2 _____	HepBsAg	Date _____
	#3 _____		Positive <input type="checkbox"/> Negative <input type="checkbox"/>

Adult Tdap Date _____ (within 10 years)

Influenza Vaccine Date _____ (due annually)
AVAILABLE EVERY FALL

MENINGOCOCCAL (MENINGITIS) INFORMATION IS AVAILABLE AT:

<http://www.cdc.gov/meningitis>

AND

https://www.nj.gov/health/cd/documents/topics/meningo/meningo_requirements_highered.pdf

By signing below I attest to have read and understood the information on the CDC and New Jersey Department of Health website. Further questions and/or concerns have been clarified by my HealthCare Provider listed below.

☐ I have *received the Meningitis Quadrivalent Vaccine on: m / d / y y y

*If your initial dose was administered before your 16th birthday, you will be required a booster dose.

STUDENT SIGNATURE: _____ **DATE:** _____

2. TUBERCULOSIS TEST: NURSING STUDENTS REQUIRE A TWO STEP PPD. (*Step 2 must be 1-3 weeks after the first)

Mantoux/PPD Test

Step 1 Date Given _____ Date Read _____ Result: ☐ Negative **Positive ☐ Size _____ mm (induration)

***Step 2** Date Given _____ Date Read _____ Result: ☐ Negative **Positive ☐ Size _____ mm (induration)

QuantiFERON-TB Gold or T-Spot Test

OR

Date _____ Result _____ (LAB REPORT MUST BE ATTACHED)

****Those with a history of positive PPD/Mantoux your Physician must complete:** <https://www.fdu.edu/wp-content/uploads/2019/11/3862.pdf>

Your chest x-ray report must be attached to this form.

Signature of Medical Provider: _____ Date: _____

Medical Provider: _____ Phone: () _____

Address: _____

License Number
OR
Official Stamp of
Medical Provider

Proof of Immunity is required prior to entrance to the University and Clinical sites

You will be placed on medical hold until the above requirements are met



Meningitis Response

IMPORTANT INFORMATION *(Please Read)*

Rev. 2017-5-17

Name: _____			Male <input type="checkbox"/> Female <input type="checkbox"/>
Last	First	Middle	
Student ID: _____		Date of Birth: _____	

MENINGITIS VACCINATION INFORMATION

Meningococcal disease can be devastating and often-and unexpectedly-strikes otherwise healthy people. Although meningococcal disease is uncommon, teens and young adults 16 through 23 years old (not just those in college) are at increased risk. Meningococcal bacteria can cause severe disease, including infections of the lining of the brain and spinal cord (meningitis) and bloodstream infections (bacteremia or septicemia), and can result in permanent disabilities and even death. Common symptoms are: confusion, fatigue (feeling very tired), rash of dark purple spots, sensitivity to light, stiff neck, vomiting, headache, high fever, nausea.

Anyone can get meningococcal disease, but certain groups are at increased risk. These include:

- College students and military recruits living in dorms or barracks
- People with certain medical conditions or immune system disorders including a damaged or removed spleen
- People who may have been exposed to meningococcal disease during an outbreak
- International travelers

Meningococcal bacteria are spread person-to-person through the exchange of saliva or nasal secretions. The bacteria are not spread by casual contact or by breathing the air where a person with meningococcal disease has been. One must be in direct (close) contact with an infected person's secretions in order to be exposed. Close contact includes activities such as: living in the same household, kissing, sharing eating utensils, food, drinks, cigarettes, etc.

The best way to prevent meningococcal disease is to get vaccinated. There are two kinds of vaccines in the United States that protect against 4 types of meningococcal disease known as A/C/Y/W-135. Two doses are recommended for all adolescents. The first dose is recommended at 11-12 years of age. Since protection wanes, a booster dose is recommended at age 16 years so adolescents continue to have protection during the ages when they are at highest risk of meningococcal disease.

Meningococcal vaccines are safe and effective. As with all vaccines, there can be minor reactions, including pain and redness at the injection site or a mild fever for one or two days. Severe side effects, such as a serious allergic reaction, are very rare. It is important to know that 1) no vaccine offers 100% protection, 2) protective immunity declines 3-5 years after the first dose of meningococcal vaccine and a booster dose is needed to provide continued protection; 3) Meningococcal Meningitis A/C/Y/W-135 vaccine contains only 4 of the 5 most common types of meningococcal disease and; 4) not all cases of meningitis are caused by meningococcal bacteria. Symptoms of meningitis in a vaccinated person should always warrant immediate medical attention regardless of vaccination.

Where can I get more information about meningococcal vaccine?

Your Healthcare Provider, and
Centers for Disease Control and Prevention (CDC) at <http://www.cdc.gov/meningococcal/index.html>

RESPONSE (If you have received the vaccine, provide verification of the same on proof of immunizations – not on this form)

Having read the above information, please check one of the following:

- ☐ I am a Resident Student and have received the vaccine on _____
- ☐ I have already received the meningitis vaccine within the past five (5) years on _____
- ☐ I do not wish (my student) to receive the vaccine (Commuters Only).
- ☐ I have decided to receive the meningitis vaccine at some future time (Commuter Only).

Student Signature: _____ Date: _____

If student is under 18 years of age, sign and date:

Parent/Guardian Signature: _____ Relationship: _____

Meningitis Vaccine is Mandatory for Students in University Housing

POSITIVE TB TEST CHECKLIST

The diagram shows a two-dimensional lattice structure. A central point is labeled 'i'. A horizontal line passes through point 'i', with points labeled 'i-1' to the left and 'i+1' to the right. A vertical line passes through point 'i', with points labeled 'i-1' above and 'i+1' below. The lattice is bounded by a horizontal line at the top and a vertical line on the left.

Meningococcal Vaccine Questionnaire for College Students

New Jersey law requires that new students enrolling in a public or private institution of higher education in New Jersey to have received meningococcal vaccines as recommended by the Advisory Committee on Immunization Practices (ACIP). There are two types of meningococcal vaccines that might be required depending on your age and your risks: the meningococcal conjugate vaccine (MenACWY) that protects against serogroups A, C, W, and Y disease; and the meningococcal serogroup B vaccine (MenB) that protects against serogroup B disease.

MenACWY (Menactra® and Menveo®) vaccine is routinely recommended at ages 11-12 years with a booster dose at 16 years. Adolescents who receive their first dose of MenACWY vaccine on or after their 16th birthday do not need a booster dose. Additional doses may be recommended based on risk. People 19 years of age and older are not routinely recommended to receive the MenACWY vaccine unless they are first-year college students living in residential housing or if another risk factor applies.

MenB (Bexsero® and Trumenba®) vaccine is routinely recommended for people ages 10 years or older with high-risk health conditions. People 16-23 years old (preferably at ages 16-18 years) may also choose to get a MenB vaccine.

INSTRUCTIONS: To assist in determining which meningococcal vaccines may be required for you, review each of the indications in the table below, both by age and by increased risk. Place a checkmark in the box next to each indication that applies to you.

By age indication		
Age	MenACWY Requirement	MenB Requirement
<input type="checkbox"/> ≤18 years of age, not at increased risk	✓ Vaccine required	✗ Vaccine not required*
<input type="checkbox"/> ≥19 years of age, not at increased risk	✗ Vaccine not required	✗ Vaccine not required*
By increased risk indication		
Indication	MenACWY Requirement	MenB Requirement
<input type="checkbox"/> First-year college student living in residence hall or military recruit	✓ Vaccine required	✗ Vaccine not required*
<input type="checkbox"/> Complement component deficiency or use of a medication known as a complement inhibitor (e.g., eculizumab)	✓ Vaccine required	✓ Vaccine required
<input type="checkbox"/> No spleen or problem with spleen – including sickle cell disease	✓ Vaccine required	✓ Vaccine required
<input type="checkbox"/> HIV infection	✓ Vaccine required	✗ Vaccine not required*
<input type="checkbox"/> Travel to an area where the disease is common. Check www.cdc.gov/travel for travel-related risk	✓ Vaccine required	✗ Vaccine not required*
<input type="checkbox"/> Work in a laboratory with meningococcal bacteria (<i>Neisseria meningitidis</i>)	✓ Vaccine required	✓ Vaccine required
<input type="checkbox"/> Part of an outbreak as declared by public health officials—you will be notified if this applies to you	Vaccine required if outbreak caused by serogroup A, C, W or Y	Vaccine required if outbreak caused by serogroup B

*Though MenB vaccination is not required, persons 16-23 years old may choose to receive MenB vaccine to provide short-term protection against most strains of MenB disease. Learn more about meningococcal disease and MenB vaccination at: www.cdc.gov/meningococcal.

Please consult with your healthcare provider if you have questions about the meningococcal vaccines or if you need to receive the vaccines to attend a New Jersey institution of higher education.